

How to add Shell Aliases Groups through the cloudpanzer mobile application?

A shell alias is a shortcut that represents a command or a series of commands. By using aliases, you can save time and reduce the amount of typing required to execute common tasks.

Tutorial :

You can watch the Video or Continue reading the post.

<https://www.youtube.com/embed/Alil0kP4LAY>

Follow the steps below to add Shell Aliases Groups.

1: Once you are logged in, look for an "Account Settings" option.

10:28

Servers

🔄 [Create Server](#)

🔍 Search Server..

⚠️ Your account is on trial plan, The trial expires on **Wed, 10/9/2024**

[Check Plans](#)

☆ Active

Hetzner 🔄


upserver

PHP 8.2


🕒 4/38GB (13%) 🖨️ 2 Cores

📊 682/3820MB (17.85%)


49.12.229.235 🗑️




2: Select the Shell Aliases option.



4: Click on the Add New button.



5: Enter the Group name and click on the save button.



Here, you can see added the Alias group Successfully.

2:00

LTE

← Alias Groups



abcGroup



+ Add New

Looking for Web Instructions?

Available at <https://kb.cloudpanzer.com/books/web-portal/page/how-to-add-shell-aliases-groups>

Revision #9

Created 21 December 2022 06:47:08 by Admin

Updated 17 September 2024 07:49:12 by Admin