

How to delete Shell Aliases Group through the cloudpanzer mobile application?

Shell aliases are used to create shortcuts for commonly used commands in the command line interface. These shortcuts can be very useful, but they can also become cluttered over time and may need to be removed.

Tutorial :

You can watch the Video or Continue reading the post.

<https://www.youtube.com/embed/TrKw5Dm3uLI>

Follow the steps below to delete the Aliases group.

1: Once you are logged in, look for an "Account Settings" option.

10:28



CLOUDPANZER



Servers



Create Server



Search Server..



Your account is on trial plan, The trial expires on **Wed, 10/9/2024**

Check Plans



Active

Hetzner



upserver

PHP 8.2



4/38GB (13%)




2 Cores




682/3820MB (17.85%)

49.12.229.235







2: Select the Shell Aliases Option.



4: Click on the Menu Icon and select the delete Option.



5: Click on the yes button to delete the shell alias group.



Here, you can see shell aliases deleted successfully.

2:00

LTE



Alias Groups



No aliases groups to show



+ Add New

Looking for Web Instructions?

Available at <https://kb.cloudpanzer.com/books/web-portal/page/how-to-delete-shell-aliases-group>

Revision #9

Created 21 December 2022 06:50:40 by Admin

Updated 17 September 2024 08:18:13 by Admin