

How to Enable and Disable Under Attack Mode ?

Under Attack, the mode is a feature provided by Cloudflare that helps protect your website from various types of cyber threats, such as DDoS attacks, brute force attempts, and others. In this mode, Cloudflare will present a JavaScript challenge to visitors of your website, which will help filter out malicious traffic and ensure that only legitimate users can access your site.

How to create Cloudflare Integration

Tutorial :


You can watch the Video or Continue reading the post.

https://www.youtube.com/embed/w7dshsFP_Z8


Follow the steps below to Enable and Disable Under Attack Mode.

Navigate to the Home Page of CloudFlare(Follow these Steps).


Click on the "Websites" button.



Select website.




Click on the "Security" button.




Enable Under Attack Mode :

Click on the Switch Button.




Here, You can see Under attack mode is enabled successfully.



Disable Under Attack Mode :

Click on the Switch Button.



Select a new security level and click on the "Save" button.

Disable Under Attack Mode

Choose a new Security Level for your website to disable I'm Under Attack Mode.

Security Level


Adjust your website's Security Level to determine which visitors will receive a challenge page.

Essentially Off

Save TLS Version

Cancel

Here, You can see Under the attack mode is disabled successfully.



Looking for Web Instructions?

Available at <https://kb.cloudpanzer.com/books/web-portal/page/how-to-enable-and-disable-under-attack-mode>

Revision #10

Created 23 December 2022 06:47:41 by Admin

Updated 2 September 2023 07:13:59 by Admin