


Daemons

- [How to Check Daemon Events on a server through the CloudPanzer website ?](#)
- [How to create Daemons on a server through the CloudPanzer website?](#)
- [How to delete a Daemon on server through the CloudPanzer website?](#)
- [How to Edit Supervisor Conf in Daemons on a server through the CloudPanzer website?](#)
- [How to restart a Daemon on a server through the CloudPanzer website?](#)
- [How to view Daemon on a server through the CloudPanzer website?](#)
- [How to show Daemon Status on a server through the CloudPanzer website?](#)
- [How to start a Daemon on a server through the CloudPanzer website?](#)
- [How to stop a Daemon on a server through the CloudPanzer website?](#)


How to Check Daemon Events on a server through the ClouPanzer website ?

Follow the steps below to check daemon events


1: Once you are logged in, look for a "Server" and click on it.




2. Click on the daemons option.




3. Click on the menu icon.




3. Click on the Events.




4. The Events Dialog box will open and click on the Eye icon.





5. Here you can see the Daemon Event shown Successfully.



How to create Daemons on a server through the CloudPanzer website?

A daemon is a type of background process that runs on a computer and performs tasks without user intervention. Daemons are often used to perform system-level tasks, such as scheduling jobs, managing network connections, or monitoring system resources.

Prerequisites :

You must have an Active Server. You can jump to the tutorial section if the above conditions are proper, Or first follow the links below to set up the prerequisites.

How to install a Server


Tutorial :

You can watch the Video or Continue reading the post.


<https://www.youtube.com/embed/Mg5w2EBm5-w>

Follow the steps below to create a Daemon.


1. Once you are logged in, look for a "Server" and click on it.




2. Click on the daemons option.



3. Click on the add new button.



4. Enter the required data and click on the save changes button.



Here, you can see the Daemon was created successfully.

The screenshot displays the CloudPanzer dashboard for a server named 'upserver'. The interface includes a sidebar with navigation options: Sites, Database, PHP, Scheduler/Cron, Logs, Logrotates, Events, Backups, Nginx Configuration, Node.js Configuration, Password Management, Server Info, Panel Updates, and Server Updates. The main content area shows server statistics: Disk usage (3/38GB, 10%), RAM usage (532/3820MB, 13.93%), CPU Cores (2), and Provider (Hetzner). The server is running Nginx and php8.3. The uptime is 2 days, 20 hours, 58 minutes, and 49 seconds. Below the statistics, the 'Daemons' section lists two running daemons: 'ls' and 'sudo'. A red arrow points to the 'ls' daemon entry. The 'ls' daemon is running on the domain 'newsitetestaccountboats' with 1 process. The 'sudo' daemon is running on the domain 'appletestaccountboats' with 1 process. A red gear icon is visible in the bottom right corner.

Refresh Stats Nginx Redis Composer Active

upserver

Uptime: Mon 9 Sep - 2 Days, 20 Hours, 58 Minutes 49 second

Last stats :Thu , Sep 12, 2024 - 3:48 am

Disk usage: 3/38GB (10%)	RAM usage: 532/3820MB (13.93%)	CPU Cores: 2	Provider: Hetzner
--------------------------	--------------------------------	--------------	-------------------

Daemons

Search by domain Search

ls Running View

newsitetestaccountboats ssh newsitetestaccountboats@49.12.229.235 No. of processes: 1

sudo Running View

appletestaccountboats ssh appletestaccountboats@49.12.229.235 No. of processes: 1

Looking for mobile app Instructions?

Available at <https://kb.cloudpanzer.com/books/mobile-app/page/how-to-create-a-daemons>

How to delete a Daemon on server through the CloudPanzer website?

Sometimes, it may be necessary to delete a daemon from a system for various reasons. Before proceeding, it is important to note that deleting a daemon can potentially impact the functioning of the system and should only be done with caution. It is recommended to create a backup of the system before attempting to delete a daemon.

Prerequisites :

You must have an Active Server. You can jump to the tutorial section if the above conditions are proper, Or first follow the links below to set up the prerequisites.

How to install a Server


Tutorial :

You can watch the Video or Continue reading the post.


https://www.youtube.com/embed/oj9ftW697_Y

Follow the steps below to Delete a Daemon.

1. Once you are logged in, look for a "Server" and click on it.



2. Click on the daemons option.



3. Click on the menu icon.

Cloudpanzer interface showing the 'upserver' service status and a list of daemons. The 'upserver' service is active, showing uptime, disk usage, RAM usage, CPU cores, and provider (Hetzner). Below the service status, there is a 'Daemons' section with a search bar and a list of running daemons. A red arrow points to the 'View' button next to the 'ls' daemon.

upserver

49.12.229.235
ssh upserver@49.12.229.235
"Ubuntu 24.04.1 LTS"
Last stats: Thu, Sep 12, 2024 - 3:48 am

Disk usage: 3/38GB (10%) | RAM usage: 532/3820MB (13.93%) | CPU Cores: 2 | Provider: Hetzner

Daemons

Search by domain

ls Running View

newsitetestaccountboats ssh newsitetestaccountboats@49.12.229.235 No. of processes: 1

sudo Running View

appletestaccountboats ssh appletestaccountboats@49.12.229.235 No. of processes: 1

4. Click on the delete daemon button.

Cloudpanzer interface showing the 'upserver' service status and a list of daemons. The 'upserver' service is active, showing uptime, disk usage, RAM usage, CPU cores, and provider (Hetzner). Below the service status, there is a 'Daemons' section with a search bar and a list of running daemons. A red arrow points to the 'Delete' button in the context menu for the 'ls' daemon.

upserver

49.12.229.235
ssh upserver@49.12.229.235
"Ubuntu 24.04.1 LTS"
Last stats: Thu, Sep 12, 2024 - 3:48 am

Disk usage: 3/38GB (10%) | RAM usage: 532/3820MB (13.93%) | CPU Cores: 2 | Provider: Hetzner

Daemons

Search by domain

ls Running View


newsitetestaccountboats ssh newsitetestaccountboats@49.12.229.235 No. of processes: 1

sudo Running View


appletestaccountboats ssh appletestaccountboats@49.12.229.235 No. of processes: 1

Events
Show Deamon Status
Restart Deamon
Stop Deamon
Edit Supervisor Conf
Delete

5. Click on the Yes button.



Here, you can see the Daemon was deleted successfully.



Looking for Web Instructions?

Available at <https://kb.cloudpanzer.com/books/mobile-app/page/how-to-delete-a-daemons>

How to Edit Supervisor Conf in Daemons on a server through the CloudPanzer website?

The Supervisor daemon is a process control system that allows you to control and monitor processes on your system. It is often used to manage long-running processes, such as web servers or database servers.

Prerequisites :

You must have an Active Server. You can jump to the tutorial section if the above conditions are proper, Or first follow the links below to set up the prerequisites.

How to install a Server


Tutorial :

You can watch the Video or Continue reading the post.


<https://www.youtube.com/embed/sISPodyX2V0>

Follow the steps below to Edit supervisor conf in Daemons.


1. Once you are logged in, look for a "Server" and click on it.




2. Click on the daemons option.




3. Click on the menu icon.




4. Click on Edit Supervisor conf



5. Here, you can make changes and then click on the Save button.



Here, you can see the Edit Supervisor conf in Daemons, which was updated successfully.



Looking for Mobile App Instructions?

Available at <https://kb.cloudpanzer.com/books/mobile-app/page/how-to-edit-supervisor-conf-in-daemons-0Su>

How to restart a Daemon on a server through the CloudPanzer website?

Restarting server daemons is done to apply configuration changes, resolve bugs, release resources, clear connection issues, improve performance, recover from crashes, apply security updates, and diagnose problems. It ensures smooth operation, efficient resource usage, and service reliability.

Prerequisites :

You must have an Active Server. You can jump to the tutorial section if the above conditions are proper, Or first follow the links below to set up the prerequisites.

How to install a Server?


Tutorial :

You can watch the Video or Continue reading the post.


<https://www.youtube.com/embed/4HMDFG4r54k>

Follow the steps below to Start Daemon.

1: Once you are logged in, look for a "Server" and click on it.




2. Click on the daemons option.




3. Click on the menu icon.

CloudPanzer interface showing the 'upserver' service status and a list of daemons. The 'upserver' service is active, showing uptime, disk usage, RAM usage, CPU cores, and provider. Below it, the 'Daemons' section lists two running daemons: 'ls' and 'sudo'. A red arrow points to the 'View' button next to the 'ls' daemon.








4. Click on Restart Daemon.

CloudPanzer interface showing the 'upserver' service status and a list of daemons. The 'upserver' service is active, showing uptime, disk usage, RAM usage, CPU cores, and provider. Below it, the 'Daemons' section lists two running daemons: 'ls' and 'sudo'. A red arrow points to the 'View' button next to the 'ls' daemon, which has opened a dropdown menu. The menu options are: Events, Show Daemon Status, Restart Deamon, Stop Daemon, Edit Supervisor Conf, and Delete.



Here, you can see the daemon restarted successfully.

 **CLOUDPANZER** Servers Sites Billing Groups Integrations    Demo 

Search

Sites

Database

PHP

Scheduler/Cron

Logs

Logrotates

Events

Backups

Nginx Configuration

Node.js Configuration

Password Management

Server Info

Panel Updates

Server Updates

Refresh Stats Nginx Redis Composer Active

upserver

php8.3

Server Mode: Nginx

Uptime: Mon 9 Sep - 2 Days, 21 Hours, 12 Minutes 42 second

Last stats :Thu , Sep 12, 2024 - 3:48 am

Disk usage: 3/38GB (10%)

RAM usage: 532/3820MB (13.93%)

CPU Cores: 2

Provider: Hetzner

Daemons

Search by domain

Search

ls


newsitetestaccountboats ssh newsitetestaccountboats@49.12.229.235 No. of processes: 1

Running View

sudo

appletestaccountboats ssh appletestaccountboats@49.12.229.235 No. of processes: 1

Running View



Looking for Mobile Instructions?

Available at <https://kb.cloudpanzer.com/books/mobile-app/page/how-to-restart-a-daemons>

How to view Daemon on a server through the CloudPanzer website?

Daemons are background processes that run on a computer, often to perform system-level tasks. These processes can sometimes generate logs that contain important information about their activity and any issues that may arise.

Prerequisites :

You must have an Active Server. You can jump to the tutorial section if the above conditions are proper, Or first follow the links below to set up the prerequisites.

How to install a Server


Tutorial :

You can watch the Video or Continue reading the post.


<https://www.youtube.com/embed/EwZneuaU74M>

Follow the steps below to view Daemon.


1. Once you are logged in, look for a "Server" and click on it.




2. Click on the daemons option.



3. Click on the view option.



Here, you can view the Daemon logs successfully.



Looking for mobile app Instructions?

Available at <https://kb.cloudpanzer.com/books/mobile-app/page/how-to-show-daemon-logs>

How to show Daemon Status on a server through the CloudPanzer website?

There are several methods that can be used to display the status of a daemon on different operating systems. Whether you are using Linux, macOS, or Windows, there is a method available to check the status of your daemons and ensure that they are running as expected.

Prerequisites :

You must have an Active Server. You can jump to the tutorial section if the above conditions are proper, Or first follow the links below to set up the prerequisites.

How to install a Server


Tutorial :

You can watch the Video or Continue reading the post.


<https://www.youtube.com/embed/WkZGB7mrg9c>

Follow the steps below to Daemon Status.

1: Once you are logged in, look for a "Server" and click on it.



2. Click on the daemons option.




3. Click on the menu icon.

The screenshot shows the Cloudpanzer dashboard. On the left is a sidebar with navigation links: Sites, Database, PHP, Scheduler/Cron, Logs, Logrotates, Events, Backups, Nginx Configuration, Node.js Configuration, Password Management, Server Info, Panel Updates, and Server Updates. The main content area is titled 'upserver' and shows service details: Uptime (Mon 9 Sep - 2 Days, 21 Hours, 26 Minutes 51 second), Last stats (Thu, Sep 12, 2024 - 3:48 am), Disk usage (3/38GB (10%)), RAM usage (532/3820MB (13.93%)), CPU Cores (2), and Provider (Hetzner). Below this is a 'Daemons' section with a search bar and a list of daemons. The first daemon is 'ls', which is 'Running'. A red arrow points to the 'View' button next to it. The second daemon is 'sudo', also 'Running'. A red gear icon is visible in the bottom right corner.

4. Click on the show Daemon status.

This screenshot shows the same Cloudpanzer dashboard as the previous one, but with a dropdown menu open for the 'ls' daemon. The dropdown menu contains the following options: Events, Show Deamon Status (highlighted with a red arrow), Restart Deamon, Stop Deamon, Edit Supervisor Conf, and Delete. The 'Show Deamon Status' option is the one to be selected according to the instruction.

Here, you can see the Daemon Status shown successfully.



Looking for mobile Instructions?

Available at <https://kb.cloudpanzer.com/books/mobile-app/page/how-to-show-daemon-status-Zxp>

How to start a Daemon on a server through the CloudPanzer website?

Starting daemons on servers is necessary to enable background processes that deliver various services, such as handling web requests, managing databases, processing emails, or facilitating network communication. These daemons operate independently, supporting the server's core functions and allowing users to access resources and services efficiently.

Prerequisites :

You must have an Active Server. You can jump to the tutorial section if the above conditions are proper, Or first follow the links below to set up the prerequisites.

How to install a Server


Tutorial :

You can watch the Video or Continue reading the post.


<https://www.youtube.com/embed/3PfeH-LpDVo>

Follow the steps below to Start Daemon.


1. Once you are logged in, look for a "Server" and click on it.




2. Click on the daemons option.



3. Click on the menu icon.



4. Click on the Start Daemon option.



Here, you can see the daemon started successfully.

The screenshot displays the Cloudpanzer dashboard interface. At the top, a dark navigation bar contains the Cloudpanzer logo, navigation links (Servers, Sites, Billing, Groups, Integrations), and a user profile dropdown (Demo). A left sidebar lists various system management tools like Sites, Database, PHP, Scheduler/Cron, Logs, Logrotates, Events, Backups, Nginx Configuration, Node.js Configuration, Password Management, Server Info, Panel Updates, and Server Updates. The main content area is titled 'upserver' and shows server statistics: Disk usage (3/38GB), RAM usage (532/3820MB), CPU Cores (2), and Provider (Hetzner). Below this, the 'Daemons' section lists active services. Two daemons are shown: 'ls' and 'sudo', both with a green 'Running' status. A red arrow points to the 'Running' status of the 'ls' daemon. The 'ls' daemon entry includes details like 'newsitetestaccountboa', 'ssh newsitetestaccountboa', and 'ts@49.12.229.235'. The 'sudo' daemon entry includes 'appletestaccountboats', 'ssh appletestaccountboats', and '@49.12.229.235'. Both daemons show 'No. of processes: 1'. A '+ Add New' button is visible in the top right of the Daemons section.

Looking for Mobile App Instructions?

Available at <https://kb.cloudpanzer.com/books/mobile-app/page/how-to-start-a-daemon>

How to stop a Daemon on a server through the CloudPanzer website?

Stopping a daemon, or background service can be an important task for managing your system. Identify the name of the daemon you want to stop. This can usually be found in the documentation or by using the `ps` command to list all running processes.

Prerequisites :

You must have an Active Server. You can jump to the tutorial section if the above conditions are proper, Or first follow the links below to set up the prerequisites.

How to install a Server


Tutorial :

You can watch the Video or Continue reading the post.


<https://www.youtube.com/embed/netKNtUR9w0>

Follow the steps below to Stop Daemon.


1. Once you are logged in, look for a "Server" and click on it.




2. Click on the daemons option.




3. Click on the menu icon.






4. Click on the Stop Daemon.



Here, you can see the daemon stopped successfully.

CLOUDPANZER

ServersSitesBillingGroupsIntegrations

Demo

Search

Sites

Database

PHP

Scheduler/Cron

Logs

Logrotates

Events

Backups

Nginx Configuration

Node.js Configuration

Password Management

Server Info

Panel Updates

Server Updates

Refresh Stats

Nginx

Redis

Composer

Active

upserver

php8.3

Server Mode: Nginx

Uptime: Mon 9 Sep - 2 Days, 21 Hours, 33 Minutes 6 second

Last stats :Thu , Sep 12, 2024 - 3:48 am

Disk usage: 3/38GB (10%)

RAM usage: 532/3820MB (13.93%)

CPU Cores: 2

Provider: Hetzner

Daemons

Search by domain

Search

ls

newsitetestaccountboa

ssh newsitetestaccountboa@49.12.229.235

No. of processes: 1

Stopped

View

sudo


applettestaccountboats

ssh applettestaccountboats@49.12.229.235

No. of processes: 1

Running

View



Looking for mobile Instructions?

Available at <https://kb.cloudpanzer.com/books/mobile-app/page/how-to-stop-a-daemons>