


# Site Authenticate Routes

- [How to delete Authenticate Routes Info through the cloudpanzer mobile?](#)
- [How to manage Authenticate Routes on site through the cloudpanzer website?](#)

# How to delete Authenticate Routes Info through the cloudpanzer mobile?

Follow the steps below to Site Authenticate Routes Navigation.

1: Once logged in, look for a "Server" and click on it.



2. Click on the Site option and Select an Active Site.

**CLOUDPANZER** Servers Sites Billing Groups Integrations 🔔 📄 D Demo ▼

🔍 Search

🌐 Sites

🗄 Database

🐘 PHP

📅 Scheduler/Cron

📄 Logs

📄 Logrotates

📅 Events

🔗 Backups

⚙ Nginx Configuration

⚙ Node.js Configuration

🔒 Password Management

Refresh Stats PostgreSQL Nginx Redis Supervisor 5 More Active

upserver

🌐

📄

🔍

php8.2

Server Mode:

Nginx

Uptime:

Mon 9 Sep - 4 Days, 18 Hours, 42 Minutes 5 second

Stats last sync : Sat , Sep 14, 2024 - 3:51 am

Disk usage: 4/38GB (12%)

RAM usage: 656/3820MB (17.17%)

CPU Cores: 2

Provider: Hetzner

Active Sites

🔄 + Add New

🔍 Search by domain

Search

Domain	App	PHP	Status	User	SSH	Isolated	Ev
🔗 🌐 📄 apple.testaccountboats		php8.2	Installed	appletestaccountboats	🔑	Yes	📄
🔗 🌐 📄 newsite.testaccount.boats		php8.3	Installed	newsitetestaccountboats	🔑	Yes	📄

Rows per page: 10 1-2 of 2 < >

3. Click on the Authenticate Routes Option.

🔑 Authorized SSH

ADVANCED

🔒 SSL

➤ Redirects

📄 Events

📄 Shell Settings

🔍 Site Meta

★ Actions

SERVER TOOLS

📄 Command

📅 Scheduler/Cron


⚡ Daemons

🔑 Authenticate Routes


📄 Other Configurations

📄 Notes

4. Click on the Delete icon.



5. Click on the yes button.



Here, you can see that Authenticate Routes were deleted successfully.



Search

SITE TOOLS

- App
- Environment
- Logs
- Logrotates
- PHP Configuration
- Nginx Configuration
- Node.js Configuration
- Password Management
- SSH
- SSH Keys
- Authorized SSH

Refresh Stats

Installed

apple.testaccountboats

Stats last sync: Wed, Sep 11, 2024 - 10:40 pm

php8.2

Server Mode:  
Nginx

Created At:  
Sep 12, 2024 - 11:10 am

Disk usage: N/A

appletestaccountboats@49.12.229.235

SSH

SFTP

Basepath: /home/appletestaccountboats/  
apple.testaccountboats/public

Authenticate Routes



Events

+ Add New

Protection-enabled

Re-Generate

testRoute

Deleting Sep 14, 2024 - 10:40 am

Request Submitted , This will take a few seconds to process


Close



# How to manage Authenticate Routes on site through the cloudpanzer website?

Follow the steps below to Site Authenticate Routes Navigation.

1: Once logged in, look for a "Server" and click on it.



2. Click on the Site option and Select an Active Site.

**CLOUDPANZER** Servers Sites Billing Groups Integrations ▾

🔔 📄 D Demo ▾

🔍 Search

🌐 **Sites**

- Database
- PHP
- Scheduler/Cron
- Logs
- Logrotates
- Events
- Backups
- Nginx Configuration
- Node.js Configuration
- Password Management

**upserver**

Refresh Stats PostgreSQL Nginx Redis Supervisor 5 More Active

🌐 [redacted] 📄 [redacted] ⚙️ [redacted] **php8.2** 📋 **Server Mode:** Nginx ⌚ **Uptime:** Mon 9 Sep - 4 Days, 18 Hours, 29 Minutes 5 second

🕒 Stats last sync :Sat , Sep 14, 2024 - 3:51 am

Disk usage: 4/38GB (12%)	RAM usage: 656/3820MB (17.17%)	CPU Cores: 2	Provider: Hetzner
--------------------------	--------------------------------	--------------	-------------------

**Active Sites** 🔄 + Add New

🔍 Search by domain Search

Domain	App	PHP	Status	User	SSH	Isolated	Ev
🔗 🛡️ apple.testaccountboats		php8.2	Installed	appletestaccountboats	🔑	Yes	📄
🔗 🛡️ newsite.testaccount.boats		php8.3	Installed	newsitetestaccountboats	🔑	Yes	📄

Rows per page: 10 ▾ 1-2 of 2 < >

⚙️

3. Click on the Authenticate Routes Option.

🔑 Authorized SSH

ADVANCED


- 🔒 SSL
- ▶️ Redirects
- 📅 Events
- 📄 Shell Settings
- 🕒 Site Meta
- ☆ Actions

SERVER TOOLS


- 📄 Command
- 🕒 Scheduler/Cron
- ⚡ Daemons
- 🔗 **Authenticate Routes**
- 📄 Other Configurations
- 📄 Notes

⚙️

4. Click on the Switch button to enable Protection.




Here, you can see protection enabled successfully.




5. Click on the Event button.







6. Click on the Eye icon.




7. Click on the file icon.




Here, you can see that Event Data.



8. Click on the Add New Button.















9. Fill in the Fields and click on Save Button.




Here, you can see the Authenticate Routes Created Successfully.

**SITE TOOLS**

-  App
-  Environment
-  Logs
-  Logrotates
-  PHP Configuration
-  Nginx Configuration
-  Node.js Configuration
-  Password Management
- SSH**
  -  SSH Keys
  -  Authorized SSH

[← Refresh Stats](#)
Installed
 **apple.testaccountboats**
 Stats last sync: Wed, Sep 11, 2024 - 10:40 pm

 php8.2

 Server Mode: Nginx

 Created At: Sep 12, 2024 - 11:10 am

Disk usage: N/A

appletestaccountboats@49.12.229.235

 SSH

 SFTP

Basepath: /home/appletestaccountboats/  
apple.testaccountboats/public

**Authenticate Routes**

 Events

[+ Add New](#)
 Protection-enabled

Completed
[Re-Generate](#)
**testRoute**
Completed Sep 14, 2024 - 10:40 am
