

How to delete a Daemon on server through the CloudPanzer website?

Sometimes, it may be necessary to delete a daemon from a system for various reasons. Before proceeding, it is important to note that deleting a daemon can potentially impact the functioning of the system and should only be done with caution. It is recommended to create a backup of the system before attempting to delete a daemon.

Prerequisites :

You must have an Active Server. You can jump to the tutorial section if the above conditions are proper, Or first follow the links below to set up the prerequisites.

How to install a Server


Tutorial :

You can watch the Video or Continue reading the post.


https://www.youtube.com/embed/oj9ftW697_Y

Follow the steps below to Delete a Daemon.

1. Once you are logged in, look for a "Server" and click on it.



2. Click on the daemons option.



3. Click on the menu icon.

CLOUDPANZER Servers Sites Billing Groups Integrations Demo

Search

- Sites
- Database
- PHP
- Scheduler/Cron
- Logs
- Logrotates
- Events
- Backups
- Nginx Configuration
- Node.js Configuration
- Password Management
- Server Info
- Panel Updates
- Server Updates

upserver Refresh Stats Nginx Redis Composer Active

49.12.229.235
ssh upserver@49.12.229.235
"Ubuntu 24.04.1 LTS"
Last stats: Thu, Sep 12, 2024 - 3:48 am

php8.3 Server Mode: Nginx Uptime: Mon 9 Sep - 2 Days, 21 Hours, 43 Minutes 57 second

Disk usage: 3/38GB (10%) RAM usage: 532/3820MB (13.93%) CPU Cores: 2 Provider: Hetzner

Daemons + Add New

Search by domain Search

ls Running View

newsitetestaccountboats ssh newsitetestaccountboats@49.12.229.235 No. of processes: 1

sudo Running View

appletestaccountboats ssh appletestaccountboats@49.12.229.235 No. of processes: 1

Settings

4. Click on the delete daemon button.

CLOUDPANZER Servers Sites Billing Groups Integrations Demo

Search

- Sites
- Database
- PHP
- Scheduler/Cron
- Logs
- Logrotates
- Events
- Backups
- Nginx Configuration
- Node.js Configuration
- Password Management
- Server Info
- Panel Updates
- Server Updates

upserver Refresh Stats Nginx Redis Composer Active

49.12.229.235
ssh upserver@49.12.229.235
"Ubuntu 24.04.1 LTS"
Last stats: Thu, Sep 12, 2024 - 3:48 am

php8.3 Server Mode: Nginx Uptime: Mon 9 Sep - 2 Days, 21 Hours, 44 Minutes 40 second

Disk usage: 3/38GB (10%) RAM usage: 532/3820MB (13.93%) CPU Cores: 2 Provider: Hetzner

Daemons + Add New

Search by domain Search

ls Running View

newsitetestaccountboats ssh newsitetestaccountboats@49.12.229.235 No. of processes: 1


sudo Running View

appletestaccountboats ssh appletestaccountboats@49.12.229.235 No. of processes: 1


- Events
- Show Deamon Status
- Restart Deamon
- Stop Deamon
- Edit Supervisor Conf
- Delete

Settings

5. Click on the Yes button.



Here, you can see the Daemon was deleted successfully.



Looking for Web Instructions?

Available at <https://kb.cloudpanzer.com/books/mobile-app/page/how-to-delete-a-daemons>

Revision #20

Created 19 December 2022 10:24:32 by Admin

Updated 12 September 2024 08:21:28 by Admin