

# How to Delete Git Repository on Domain through the cloudpanzer website?

Git is a version control system that tracks changes to files and allows multiple developers to collaborate on a project. If you no longer need a Git repository, you may want to delete it to free up space and avoid confusion.

## Prerequisites :

You must have an Active Server and installed Git Repository on site. You can jump to the tutorial section if the above conditions are proper, Or first follow the links below to set up the prerequisites.

## How to install the Git Repository App on the website?

## Tutorial :

**You can watch the Video or Continue reading the post.**

[https://www.youtube.com/embed/6abVg\\_ku0SQ](https://www.youtube.com/embed/6abVg_ku0SQ)

Follow the steps below to Delete the Git Repository.

## Use this link to view How to Navigate

1. Click on the "Delete" Button.

A screenshot of a web application configuration form. The form includes several input fields and checkboxes. At the bottom right, there are two buttons: "Delete" (in red) and "Edit Repository" (in orange). A red arrow points from the left towards the "Delete" button.

public

Nginx Path (Webserver points to this directory)

/home/armserver22/testapp.testaccountlive

Repository

https://github.com/ravdeepsingh22/flutter\_default\_web.git

Branch

main

Version

☐ Install Composer Dependencies ☐ Install NPM Dependencies

Project Type

Laravel

☐ Create .env and add DB Credentials

Delete Edit Repository

2. Click on the "Yes" Button.

A screenshot of the same web application configuration form, but with a confirmation dialog box overlaid in the center. The dialog box has a title "Delete" and a message "Are you sure want to delete repository?". It has two buttons: "No" and "Yes". A red arrow points from the right towards the "Yes" button.

public

Nginx Path (Webserver points to this directory)

/home/armserver22/testapp.testaccountlive

Repository

https://github.com/ravdeepsingh22/flutter\_default\_web.git

Branch

main

Version

☐ Install C ☐ Install NPM Dependencies

Project Type

Laravel

☐ Create .env and add DB Credentials

Delete Edit Repository

Delete

Are you sure want to delete repository?

No Yes

Here, you can see the Delete Repository was successful.

Command

Environment

SSL

Redirects

Events

Logs

Nginx Configuration

PHP Configuration

Shell Settings

Actions

Server Tools

SSH Keys

Daemons

Disk usage: N/A


SSH: ssh armserver22@4.246.177.121

Basepath: /home/armserver22/testapp.testaccountlive/public


Site App

Not installed


Php Info




Git Repository




Wordpress




PhpMyAdmin



Custom



Opencart



Prestashop

Install Repository

Events

Provider

github.com

! When using a custom Git deployment for Bitbucket, you must add the following SSH key to your source code provider before installing the repository. [How to?](#)

Revision #7

Created 26 December 2022 08:04:53 by Admin

Updated 4 September 2023 11:34:14 by Admin