



How to manage Apache Configuration on server through the cloudpanzer website?

Follow the steps below to configure Apache on the server.

1: Firstly you are logged in, look for a "Server" and click on it.




2. Select the Apache Configuration Option.



Backup Config:

1. Click on the Backup Button



Here, you can see the BackUp successfully.

Database

PHP

Scheduler/Cron

Logs

Logrotates

Events

Backups

Apache Configuration

Node.js Configuration

Password Management

Server Info

Panel Updates

Server Updates

Notes

Actions

"Ubuntu 24.04.1 LTS"

Apache

Hours, 45 Minutes 19 second

Stats last sync :Mon , Sep 16, 2024 - 3:57 am

Disk usage: 4/38GB (12%)

RAM usage: 656/3820MB (17.17%)

CPU Cores: 2

Provider: Hetzner

Apache Configuration

Completed

Apache Configuration Backups

Filename

Date

Mode

Actions

server_apache_2024-09-16-07:18:45.bkp

Mon , Sep 16, 2024 - 12:48 pm

custom

Rows per page: 10 1-1 of 1

Restore:

1. Click on the Eyes Icons.

Database

PHP

Scheduler/Cron

Logs

Logrotates

Events

Backups

Apache Configuration

Node.js Configuration

Password Management

Server Info

Panel Updates

Server Updates

Notes

Actions

"Ubuntu 24.04.1 LTS"

Apache

Hours, 45 Minutes 48 second

Stats last sync :Mon , Sep 16, 2024 - 3:57 am

Disk usage: 4/38GB (12%)

RAM usage: 656/3820MB (17.17%)

CPU Cores: 2

Provider: Hetzner

Apache Configuration

Completed

Apache Configuration Backups

Filename

Date

Mode

Actions


server_apache_2024-09-16-07:18:45.bkp

Mon , Sep 16, 2024 - 12:48 pm


custom

Rows per page: 10 1-1 of 1


Here, you can see BackUp Data.



2. Click on the Restore button.




Here, you can see the Restore Data successfully.



Pull and Push Apache Configuration:

1. Click on the Pull Button.



2. Click on the Push Button.


The screenshot shows the 'Apache Configuration' panel in a web management interface. The left sidebar contains a menu with items like Logs, Logrotates, Events, Backups, Apache Configuration (highlighted), Node.js Configuration, Password Management, Server Info, Panel Updates, Server Updates, Notes, Actions, SSH, and SSH Keys. The main panel displays system statistics at the top: Disk usage: 4/38GB (12%), RAM usage: 656/3820MB (17.17%), CPU Cores: 2, and Provider: Hetzner. Below this, the 'Apache Configuration' section shows a 'File Path' of /etc/apache2/sites-available/000-default.conf and a 'Completed' status. A red arrow points to the 'Push' button. Other buttons include Pull, Restore Default, Backup, Refresh, and Events. A code editor displays the Apache configuration file content. At the bottom right, there is a red gear icon for settings.

Here, you can see the pull and push successfully.


This screenshot shows the same 'Apache Configuration' panel as the previous one. In this state, the 'Completed' status is highlighted with a red arrow. The interface elements, including the sidebar, system statistics, and configuration details, are identical to the first screenshot.

Restore Default Config:

1. Click on the Restore Default Button.



2. Click on the Yes Button.



Here, you can see Restore Default Successfully.


The screenshot shows the Apache Configuration interface. At the top, there are system metrics: Disk usage: 4/38GB (12%), RAM usage: 656/3820MB (17.17%), CPU Cores: 2, and Provider: Hetzner. The main section is titled 'Apache Configuration' and shows the 'File Path: /etc/apache2/sites-available/000-default.conf'. The status is 'Completed' with a green checkmark and an upward arrow. Below this, there are buttons for 'Pull', 'Push', 'Restore Default', and 'Backup'. A 'Last Sync (a few seconds ago)' timestamp is shown. There is also a toggle for 'Enable Site?'. Below the buttons are 'Refresh' and 'Events' buttons. The main content area displays the Apache configuration file content, which includes directives for VirtualHost, ServerName, ServerAdmin, DocumentRoot, LogLevel, ErrorLog, and CustomLog. A red arrow points to the 'Completed' status indicator.

Show Apache Event:


1. Click on the Event Button.

This screenshot is similar to the first one, showing the Apache Configuration interface. The status is still 'Completed'. However, a red arrow points to the 'Events' button, which is located below the 'Refresh' button. The rest of the interface, including the system metrics and configuration file content, remains the same.


2 Click on the Eye button.



3. Show the Event Dialog and click on the File Icon.




4. Here you can see Apache Events.




Delete Apache Configuration Backups:


1. Click on the Delete Icon.



2. Show the Delete Dialog and Click on the Yes Button.



3. Here you can see Delete Apache Configuration Backups Successfully.



Looking for Mobile App Instructions?

Available at <https://kb.cloudpanzer.com/books/mobile-app/page/how-to-apache->

Revision #11

Created 20 March 2023 05:42:43 by Admin

Updated 16 September 2024 07:24:58 by Admin