


How to manage Nginx Configuration of Site through the cloudpanzer website?

How to install a Server

Follow the steps below to manage the Nginx configuration.


Navigate to the Nginx Configuration(Use this link to view How to Navigate)

1. Select the Nginx Configuration Option.




Restart Nginx Config :

Click on the Restart button.



Here, you can see the Site Nginx Restarted successfully.



Test Config :

Click on the Test button.


The screenshot shows the CloudPanzer dashboard for a site named 'apple.testaccountboats'. The left sidebar lists various site tools, with 'Nginx Configuration' highlighted. The main panel displays site statistics and configuration options. A red arrow points to the 'Test' button in the 'Restart Nginx' section, which is currently in a 'Running' state. Below this, the 'Web Directory' section is expanded, showing the 'Nginx Configuration' details, including the path and a 'Completed' status. At the bottom, there are toggle switches for 'Enable Site?' and 'https redirect'.

Here, you can see the Site Nginx Tested successfully.


This screenshot shows the same CloudPanzer interface as the previous one, but with a notification overlay. A red banner at the bottom of the main panel reads 'Nginx test successfully' with a 'Close' button. The 'Test' button in the 'Restart Nginx' section is now disabled. The 'Nginx Configuration' section remains expanded, showing the same details as before. The 'Enable Site?' toggle is now 'Completed'.

Restore Default :

Click on the Restore Default button.



Click on the yes button.



Here, you can see the Data restored successfully.

The screenshot shows the Nginx Configuration interface for 'apple.testaccountboats'. The interface includes a sidebar with 'SITE TOOLS' and 'ADVANCED' sections. The 'Nginx Configuration' tool is selected. The main panel displays the Nginx configuration status as 'Processing'. A red notification banner at the bottom states 'Request Submitted, This will take a few seconds to process'. The 'Backup' button is visible in the 'Nginx Configuration' section.

Backup Nginx Config :

Click on the Backup button.

The screenshot shows the Nginx Configuration interface for 'apple.testaccountboats'. The interface includes a sidebar with 'SITE TOOLS' and 'ADVANCED' sections. The 'Nginx Configuration' tool is selected. The main panel displays the Nginx configuration status as 'Completed'. A red arrow points to the 'Backup' button in the 'Nginx Configuration' section.

Here, you can see the Site Nginx Backup successfully.

Search

SITE TOOLS

- App
- Environment
- Logs
- Logrotates
- PHP Configuration
- Nginx Configuration**
- Node.js Configuration
- Password Management

SSH

- SSH Keys
- Authorized SSH

ADVANCED

- SSL

Refresh Stats

Installed

apple.testaccountboats

Last Stats: Wed, Sep 11, 2024 - 10:40 pm

php8.3

Server Mode: Nginx

Created At: Sep 12, 2024 - 11:10 am

Disk usage: N/A

apple.testaccountboats@49.12.229.235

Basepath: /home/apple.testaccountboats/apple.testaccountboats/public

SSH SFTP

Restart Nginx

Running Test Restart Events

Web Directory

Nginx Configuration

Completed

Nginx Configuration Backups

Filename	Date	Mode	Actions
apple.testaccountboats_site_nginx_2024-09-12-10:21:06.bkp	Thu, Sep 12, 2024 - 3:51 pm	custom	
apple.testaccountboats_site_nginx_2024-09-12-09:57:29.bkp	Thu, Sep 12, 2024 - 3:27 pm	custom	

Pull Nginx Config :

Click on the Pull button.

Logrotates

PHP Configuration

Nginx Configuration

Node.js Configuration

Password Management

SSH

- SSH Keys
- Authorized SSH

ADVANCED

- SSL
- Redirects
- Events
- Shell Settings
- Site Meta
- Actions

Restart Nginx

Running Test Restart Events

Web Directory

Nginx Configuration

Completed

Nginx Path: /etc/nginx/sites-available/apple.testaccountboats.conf

Last Sync (3 minutes ago)

Pull Push Restore Default Backup Refresh Events

Enable Site? Completed

https redirect

```
1 server {
2
3     listen 80;
4     listen [::]:80;
5
6     server_tokens off;
7
8     server_name apple.testaccountboats;
9
10    root /home/apple.testaccountboats/apple.testaccountboats/public;
11
12    client_body_timeout 10s;
13    client_header_timeout 10s;
14    client_max_body_size 256M;
15
16    add_header X-Frame-Options "SAMEORIGIN";
17    add_header X-XSS-Protection "1; mode=block";
18}
```

Push Nginx Config :

If you can change this file then click on the push button.

Logrotates

PHP Configuration

Nginx Configuration

Node.js Configuration

Password Management

SSH

SSH Keys

Authorized SSH

ADVANCED

SSL

Redirects

Events

Shell Settings

Site Meta

Actions

Restart Nginx

RunningTestRestartEvents

Web Directory

Nginx Configuration

Completed

Nginx Path: /etc/nginx/sites-available/apple.testaccountboats.conf

Last Sync (3 minutes ago)

Pull

Push

Restore Default

Backup

Refresh

Events

Enable Site ?

Completed

https redirect

```
1 server {
2
3     listen 80;
4     listen [::]:80;
5
6     server_tokens off;
7
8     server_name apple.testaccountboats;
9
10    root /home/applettestaccountboats/apple.testaccountboats/public;
11
12    client_body_timeout 10s;
13    client_header_timeout 10s;
14    client_max_body_size 256M;
15
16    add_header X-Frame-Options "SAMEORIGIN";
17    add_header X-XSS-Protection "1; mode=block";
```

Refresh Nginx Config :

Click on the refresh button.

Logrotates

PHP Configuration

Nginx Configuration

Node.js Configuration

Password Management

SSH

SSH Keys

Authorized SSH

ADVANCED

SSL

Redirects

Events

Shell Settings

Site Meta

Actions

Restart Nginx

RunningTestRestartEvents

Web Directory

Nginx Configuration

Completed

Nginx Path: /etc/nginx/sites-available/apple.testaccountboats.conf

Last Sync (4 minutes ago)

Pull

Push

Restore Default

Backup

Refresh

Events

Enable Site ?

Completed

https redirect

```
1 server {
2
3     listen 80;
4     listen [::]:80;
5
6     server_tokens off;
7
8     server_name apple.testaccountboats;
9
10    root /home/applettestaccountboats/apple.testaccountboats/public;
11
12    client_body_timeout 10s;
13    client_header_timeout 10s;
14    client_max_body_size 256M;
15
16    add_header X-Frame-Options "SAMEORIGIN";
17    add_header X-XSS-Protection "1; mode=block";
```

Looking for mobile app Instructions?

Available at <https://kb.cloudpanzer.com/books/mobile-app/page/how-to-manage-nginx-configuration-of-site-through-the-cloudpanzer-mobile-application>

Revision #3

Created 9 September 2023 10:46:45 by Admin

Updated 12 September 2024 10:23:45 by Admin