


# How to manage Nginx Configuration of Site through the cloudpanzer website?

## How to install a Server

Follow the steps below to manage the Nginx configuration.


**Navigate to the Nginx Configuration(Use this link to view How to Navigate)**

1. Select the Nginx Configuration Option.




# Restart Nginx Config :

Click on the Restart button.



Here, you can see the Site Nginx Restarted successfully.



# Test Config :

Click on the Test button.


The screenshot shows the CloudPanzer dashboard for the site 'apple.testaccountboats'. The left sidebar lists various site tools, with 'Nginx Configuration' selected. The main panel displays site statistics (php8.3, Server Mode: Nginx, Created At: Sep 12, 2024 - 11:10 am) and a 'Restart Nginx' section. In this section, the status is 'Running' and the 'Test' button is highlighted with a red arrow. Below this is the 'Web Directory' section and the 'Nginx Configuration' section, which shows the 'Nginx Path' and a 'Completed' status. At the bottom, there are toggle switches for 'Enable Site?' (Completed) and 'https redirect'.

Here, you can see the Site Nginx Tested successfully.


This screenshot is similar to the previous one, but it shows the result of clicking the 'Test' button. A red arrow still points to the 'Test' button. Below the 'Nginx Configuration' section, a success message 'Nginx test successfully' is displayed in a red box with a 'Close' button. The 'Enable Site?' toggle is now 'Completed'.

## Restore Default :

Click on the Restore Default button.



Click on the yes button.



Here, you can see the Data restored successfully.

The screenshot shows the Nginx Configuration interface for 'apple.testaccountboats'. The interface includes a sidebar with 'SITE TOOLS' and 'ADVANCED' sections. The 'Nginx Configuration' tool is selected. The main panel displays the Nginx configuration status as 'Processing'. A red notification banner at the bottom states 'Request Submitted, This will take a few seconds to process'. The 'Backup' button is highlighted with a red arrow.

Backup Nginx Config :

Click on the Backup button.

The screenshot shows the Nginx Configuration interface for 'apple.testaccountboats'. The interface includes a sidebar with 'SITE TOOLS' and 'ADVANCED' sections. The 'Nginx Configuration' tool is selected. The main panel displays the Nginx configuration status as 'Completed'. A red arrow points to the 'Backup' button, which is highlighted.

Here, you can see the Site Nginx Backup successfully.

Search

SITE TOOLS

- App
- Environment
- Logs
- Logrotates
- PHP Configuration
- Nginx Configuration**
- Node.js Configuration
- Password Management

SSH

- SSH Keys
- Authorized SSH

ADVANCED

- SSL

Refresh Stats

Installed

apple.testaccountboats

Last Stats: Wed, Sep 11, 2024 - 10:40 pm

php8.3

Server Mode: Nginx

Created At: Sep 12, 2024 - 11:10 am

Disk usage: N/A

apple.testaccountboats@49.12.229.235

Basepath: /home/apple.testaccountboats/apple.testaccountboats/public

SSH SFTP

Restart Nginx

Running Test Restart Events

Web Directory

Nginx Configuration

Completed

Nginx Configuration Backups

Filename	Date	Mode	Actions
apple.testaccountboats_site_nginx_2024-09-12-10:21:06.bkp	Thu, Sep 12, 2024 - 3:51 pm	custom	
apple.testaccountboats_site_nginx_2024-09-12-09:57:29.bkp	Thu, Sep 12, 2024 - 3:27 pm	custom	

## Pull Nginx Config :

Click on the Pull button.

Logrotates

PHP Configuration

**Nginx Configuration**

Node.js Configuration

Password Management

SSH

- SSH Keys
- Authorized SSH

ADVANCED

- SSL
- Redirects
- Events
- Shell Settings
- Site Meta
- Actions

Restart Nginx

Running Test Restart Events

Web Directory

Nginx Configuration

Completed

Nginx Path: /etc/nginx/sites-available/apple.testaccountboats.conf

Last Sync (3 minutes ago)

Pull Push Restore Default Backup Refresh Events

Enable Site? Completed

https redirect

```
1 server {
2
3     listen 80;
4     listen [::]:80;
5
6     server_tokens off;
7
8     server_name apple.testaccountboats;
9
10    root /home/apple.testaccountboats/apple.testaccountboats/public;
11
12    client_body_timeout 10s;
13    client_header_timeout 10s;
14    client_max_body_size 256M;
15
16    add_header X-Frame-Options "SAMEORIGIN";
17    add_header X-XSS-Protection "1; mode=block";
18}
```

## Push Nginx Config :

If you can change this file then click on the push button.

The screenshot shows the 'Nginx Configuration' interface. On the left is a sidebar with a menu including 'Logrotates', 'PHP Configuration', 'Nginx Configuration' (highlighted), 'Node.js Configuration', 'Password Management', 'SSH', 'SSH Keys', 'Authorized SSH', 'ADVANCED', 'SSL', 'Redirects', 'Events', 'Shell Settings', 'Site Meta', and 'Actions'. The main panel has a top bar with 'Restart Nginx' and buttons for 'Running', 'Test', 'Restart', and 'Events'. Below is a 'Web Directory' section. The 'Nginx Configuration' section shows the 'Nginx Path' as '/etc/nginx/sites-available/apple.testaccountboats.conf' and 'Last Sync (3 minutes ago)'. It features buttons for 'Pull', 'Push' (highlighted with a red arrow), 'Restore Default', 'Backup', 'Refresh', and 'Events'. There are also toggle switches for 'Enable Site?' (Completed) and 'https redirect'. At the bottom is a code editor displaying the Nginx configuration file content.

## Refresh Nginx Config :

Click on the refresh button.

This screenshot is similar to the first one, showing the 'Nginx Configuration' interface. The 'Last Sync' time is now '4 minutes ago'. The 'Refresh' button in the configuration controls is highlighted with a red arrow, indicating the next step in the process.

Looking for mobile app Instructions?

Available at <https://kb.cloudpanzer.com/books/mobile-app/page/how-to-manage-nginx-configuration-of-site-through-the-cloudpanzer-mobile-application>

---

Revision #3  
Created 9 September 2023 10:46:45 by Admin  
Updated 12 September 2024 10:23:45 by Admin