

How to restart a Daemon on a server through the CloudPanzer website?

Restarting server daemons is done to apply configuration changes, resolve bugs, release resources, clear connection issues, improve performance, recover from crashes, apply security updates, and diagnose problems. It ensures smooth operation, efficient resource usage, and service reliability.

Prerequisites :

You must have an Active Server. You can jump to the tutorial section if the above conditions are proper, Or first follow the links below to set up the prerequisites.

How to install a Server?


Tutorial :

You can watch the Video or Continue reading the post.


<https://www.youtube.com/embed/4HMDFG4r54k>

Follow the steps below to Start Daemon.

1: Once you are logged in, look for a "Server" and click on it.



2. Click on the daemons option.



3. Click on the menu icon.

The screenshot shows the CloudPanzer dashboard. On the left is a sidebar with navigation links: Sites, Database, PHP, Scheduler/Cron, Logs, Logrotates, Events, Backups, Nginx Configuration, Node.js Configuration, Password Management, Server Info, Panel Updates, and Server Updates. The main content area is titled 'upserver' and includes a 'Refresh Stats' button and tabs for 'Nginx', 'Redis', and 'Composer'. The 'upserver' card displays 'php8.3', 'Server Mode: Nginx', and 'Uptime: Mon 9 Sep - 2 Days, 21 Hours, 10 Minutes 47 second'. Below this, resource usage is shown: 'Disk usage: 3/38GB (10%)', 'RAM usage: 532/3820MB (13.93%)', 'CPU Cores: 2', and 'Provider: Hetzner'. The 'Last stats' are from 'Thu, Sep 12, 2024 - 3:48 am'. A green 'Active' badge is in the top right corner. Below the 'upserver' card is the 'Daemons' section, which has a search bar and a '+ Add New' button. Two daemons are listed: 'ls' and 'sudo'. Each daemon entry shows its status as 'Running', a 'View' button, and a three-dot menu icon. A red arrow points to the three-dot menu icon for the 'ls' daemon. The bottom right corner of the dashboard features a red gear icon.

4. Click on Restart Daemon.

This screenshot is similar to the previous one, but with a context menu open for the 'ls' daemon. The menu options are: 'Events', 'Show Daemon Status', 'Restart Deamon', 'Stop Deamon', 'Edit Supervisor Conf', and 'Delete'. A red arrow points to the 'Restart Deamon' option. The 'upserver' card and 'Daemons' section are otherwise identical to the previous screenshot.

Here, you can see the daemon restarted successfully.

The screenshot displays the Cloudpanzer dashboard. The top navigation bar includes links for Servers, Sites, Billing, Groups, and Integrations, along with a Demo button. The left sidebar lists various system management tools like Sites, Database, PHP, Scheduler/Cron, Logs, Logrotates, Events, Backups, Nginx Configuration, Node.js Configuration, Password Management, Server Info, Panel Updates, and Server Updates. The main content area is titled 'upserver' and shows server statistics: Disk usage (3/38GB), RAM usage (532/3820MB), CPU Cores (2), and Provider (Hetzner). Below this, the 'Daemons' section lists two running daemons: 'ls' and 'sudo', each with a 'View' button. A red arrow points to the 'Running' status of the 'ls' daemon. The bottom right corner features a red gear icon for settings.

Looking for Mobile Instructions?

Available at <https://kb.cloudpanzer.com/books/mobile-app/page/how-to-restart-a-daemons>

Revision #22

Created 19 December 2022 10:58:52 by Admin

Updated 12 September 2024 07:47:54 by Admin