

How to restart the current PHP version in CloudPanzer?

You may need to restart the PHP version on a web portal for various reasons. This could include updating to a newer version, troubleshooting issues, or making configuration changes. Whatever the reason, it is essential to know how to restart the PHP version on your web portal to ensure that your website continues to function correctly.


Tutorial :

You can watch the Video or Continue reading the post.


<https://www.youtube.com/embed/En5betkTPog>

Follow the steps below to restart the current PHP version in CloudPanzer

1: Once you are logged in, look for a "Server" and click on it.




2. Select the Sites option.



The screenshot shows the Cloudpanzer dashboard. The left sidebar contains a search bar and a list of menu items: Sites, Database, PHP, Scheduler/Cron, Logs, Logrotates, Events, Backups, Nginx Configuration, Node.js Configuration, and Password Management. The 'Sites' item is highlighted with a red arrow. The main content area displays the 'upserver' status, including uptime, server mode (Nginx), and resource usage. Below this is the 'Active Sites' section, which features a search bar and a table of active sites.

Domain	App	PHP	Status	User	SSH	Isolated	Events
apple.testaccountboats		php8.2	Installed	appletestaccountboats	Yes	Yes	
newsite.testaccount.boats		php8.3	Installed	newsitetestaccountboats	Yes	Yes	


3. Select the Active site.




This screenshot is similar to the previous one, but the 'Sites' menu item is no longer highlighted. Instead, a red arrow points to the 'apple.testaccountboats' row in the 'Active Sites' table. The table shows two rows of active sites, both with a status of 'Installed'.

Domain	App	PHP	Status	User	SSH	Isolated	Events
apple.testaccountboats		php8.2	Installed	appletestaccountboats	Yes	Yes	
newsite.testaccount.boats		php8.3	Installed	newsitetestaccountboats	Yes	Yes	


4. Select the PHP Config option.




5. Click on the restart button.



6. Click on the yes button.



Here, you can see the PHP version restarted successfully. You can also check events by clicking on the file icon.



Looking for Web Instructions?

Available at <https://kb.cloudpanzer.com/books/mobile-app/page/how-to-site-php-configuration-restart-php-version>

Revision #15

Created 21 December 2022 12:13:38 by Admin

Updated 13 September 2024 05:33:01 by Admin