


# How to Set Default PHP version ?

Follow the steps below to Set Default PHP version

1. Once you are logged in, look for a "Server" and click on it.




2. Click on the PHP option.

The screenshot shows the CloudPanzer dashboard for server 'cpTest60'. The left sidebar contains a menu with 'PHP' highlighted in a red box and a red arrow pointing to it. The main area displays server details: 'php8.1', 'Server Mode: Nginx', and 'Uptime: Wed 24 May - 8 Days, 2 Hours, 29 Minutes 2 second'. Below this is a 'Manage PHP' section with a grid of PHP versions. The 'PHP 8.1 Default' version is highlighted with a red border. Other versions include PHP 8.2 (Installed), PHP 8.0 (Not Installed), PHP 7.4 (Not Installed), PHP 7.3 (Not Installed), and PHP 7.2 (Installed).


3. Click on the Set Default button.

This screenshot shows the same dashboard as the previous one, but with the 'PHP' menu item selected in the sidebar. In the 'Manage PHP' section, the 'PHP 8.2' version is highlighted with a red border, and a red arrow points to the gear icon (Set Default button) in its configuration bar. The 'PHP 8.1 Default' version remains highlighted with a red border.

4. Click on the Yes button.



Here you can see Default PHP version set successfully.



Revision #2

Created 1 June 2023 10:52:02 by Admin

Updated 2 September 2023 10:49:04 by Admin