

How to stop a Daemon on a server through the CloudPanzer website?

Stopping a daemon, or background service can be an important task for managing your system. Identify the name of the daemon you want to stop. This can usually be found in the documentation or by using the `ps` command to list all running processes.

Prerequisites :

You must have an Active Server. You can jump to the tutorial section if the above conditions are proper, Or first follow the links below to set up the prerequisites.

How to install a Server


Tutorial :

You can watch the Video or Continue reading the post.


<https://www.youtube.com/embed/netKNtUR9w0>

Follow the steps below to Stop Daemon.

1. Once you are logged in, look for a "Server" and click on it.



2. Click on the daemons option.



3. Click on the menu icon.

The screenshot shows the CloudPanzer dashboard for an 'upserver' service. The top navigation bar includes 'Servers', 'Sites', 'Billing', 'Groups', and 'Integrations'. The left sidebar lists various system management options like 'Sites', 'Database', 'PHP', 'Scheduler/Cron', 'Logs', 'Logrotates', 'Events', 'Backups', 'Nginx Configuration', 'Node.js Configuration', 'Password Management', 'Server Info', 'Panel Updates', and 'Server Updates'. The main content area displays the 'upserver' service status, including 'php8.3', 'Server Mode: Nginx', and 'Uptime: Mon 9 Sep - 2 Days, 21 Hours, 40 Minutes 2 second'. Below this, a 'Daemons' section lists two running daemons: 'ls' and 'sudo'. A red arrow points to the 'View' button for the 'ls' daemon.

4. Click on the Stop Daemon.

This screenshot shows the same CloudPanzer dashboard as the previous one, but with a context menu open for the 'ls' daemon. The menu options are: 'Events', 'Show Daemon Status', 'Restart Daemon', 'Stop Daemon', 'Edit Supervisor Conf', and 'Delete'. A red arrow points to the 'Stop Daemon' option.

Here, you can see the daemon stopped successfully.

The screenshot displays the CloudPanzer dashboard interface. At the top, there is a navigation bar with the CloudPanzer logo and menu items: Servers, Sites, Billing, Groups, Integrations, and a Demo button. A search bar is located in the top left of the main content area. On the left side, there is a vertical sidebar with various system management options: Sites, Database, PHP, Scheduler/Cron, Logs, Logrotates, Events, Backups, Nginx Configuration, Node.js Configuration, Password Management, Server Info, Panel Updates, and Server Updates. The main content area is titled 'upserver' and shows service details: php8.3, Server Mode: Nginx, and Uptime: Mon 9 Sep - 2 Days, 21 Hours, 33 Minutes 6 second. Below this, resource usage is shown: Disk usage: 3/38GB (10%), RAM usage: 532/3820MB (13.93%), CPU Cores: 2, and Provider: Hetzner. The 'Daemons' section contains a search bar and a list of services. The 'ls' daemon is currently 'Stopped', indicated by a red arrow pointing to the 'Stopped' label. The 'sudo' daemon is 'Running'. A red gear icon is visible in the bottom right corner of the dashboard.

Looking for mobile Instructions?

Available at <https://kb.cloudpanzer.com/books/mobile-app/page/how-to-stop-a-daemons>

Revision #22

Created 19 December 2022 11:11:02 by Admin

Updated 12 September 2024 08:15:31 by Admin