


How to sync Authorized SSH on server in the cloudpanzer website?


The file contains **the public keys** of SSH users who are allowed to log in to the root account. When someone attempts to log in via SSH, the server checks if the corresponding **private key** matches any of the public keys stored in this file.

Follow the steps below to sync Authorized SSH


1: Once logged in, look for a "Server" and click on it.



2. Select the Authorized SSH Option.



3. Click on the Sync button.



Here, you can see the Authorized SSH Key Sync successfully.

Logrotates
Events
Backups
Nginx Configuration
Node.js Configuration
Password Management
Server Info
Panel Updates
Server Updates
Notes
Actions

SSH
SSH Keys
SSH Configuration
System SSH

Authorized SSH

Root SSH

Path : /root/.ssh/authorized_keys Last Sync : (6 hours ago) Completed Events Sync

```
1 # Cpanzer : CLOUDPANZER Public Key , Donot delete this
2 ssh-rsa AAAAB3NzaC1yc2EAAAADAQABAAQGDHkSpeLsdpbKXNC5b1o2ziEjRaI7roXvR/moVaZND
3
4
```



i This is the Public Key of your server, You need to add this key to your source control such as github, bitbucket, gitlab etc to clone repositories.

Revision #3

Created 16 September 2024 06:21:17 by Admin

Updated 16 September 2024 06:35:54 by Admin