

How to Change Caching level?

Caching level refers to the different levels at which caching can be implemented in a system or application. Caching is a technique used to store frequently accessed data in a temporary storage location (such as memory or a disk) so that it can be quickly retrieved later. There are various levels at which caching can be implemented, including client-side caching, server-side caching, and network caching.

Tutorial :

You can watch the Video or Continue reading the post.

<https://www.youtube.com/embed/FwPSGaWOojI>

Follow the steps below to Change Caching level.

Navigate to the Setting (Use this link to view How to Navigate).

You can change caching level here.

temporarily bypass our cache allowing you to see changes to your origin server in realtime.



! Note: Enabling this feature can significantly increase origin server load. Development mode does not purge the cache so files will need to be purged after development mode expires.

Purge Cache

Clear cached files to force Cloudflare to fetch a fresh version of those files from your web server. You can purge files selectively or all at once.

Purge Everything

! Note: Purging the cache may temporarily degrade performance for your website and increase load on your origin.

Caching Level

Determine how much of your website's static content you want Cloudflare to cache. Increased caching can speed up page load time.

- ☐ No query string
☐ Ignore query string
☒ Standard

Browser Cache TTL

Determine the length of time Cloudflare instructs a visitor's browser to cache files. During this period, the browser loads the files from its local cache, speeding up page loads.

2 minutes

This setting was last changed 6 months ago

Always Online™

Looking for mobile app Instructions?

Available at <https://kb.cloudpanzer.com/books/mobile-app/page/how-to-change-caching-level>

Revision #6

Created 27 December 2022 07:44:42 by Admin

Updated 2 September 2023 07:14:28 by Admin