

# How to Enable and Disable Automatic HTTPS Rewrites ?

Automatic HTTPS Rewrites is a feature that allows a web server to automatically redirect HTTP traffic to HTTPS, the secure version of the HTTP protocol. This is important because HTTPS provides an encrypted connection between a client (such as a web browser) and a server, which helps to protect sensitive data such as passwords, credit card numbers, and other personal information from being intercepted by third parties.

## Tutorial :

**You can watch the Video or Continue reading the post.**

[https://www.youtube.com/embed/ITVmOQQwT\\_k](https://www.youtube.com/embed/ITVmOQQwT_k)

Follow the steps to Enable and Disable Automatic HTTPS Rewrites.

**Navigate to the SSL/TLS of Cloudflare (Use this link to view How to Navigate).**

Here you can "**Enable or Disable**" the Automatic HTTPS Rewrites

### HTTP Strict Transport Security (HSTS)

Enforce web security policy for your website.



### Automatic HTTPS Rewrites

Automatic HTTPS Rewrites helps fix mixed content by changing "http" to "https" for all resources or links on your web site that can be served with HTTPS.



### Disable Universal SSL

Disabling Universal SSL removes any currently active Universal SSL certificates for your zone from the edge and prevents any future Universal SSL certificates from being ordered. If there are no dedicated certificates or custom certificates uploaded for the domain, visitors will be unable to access the domain over HTTPS.

Disable Universal SSL



Looking for mobile app Instructions?

Available at <https://kb.cloudpanzer.com/books/mobile-app/page/how-to-enable-and-disable-automatic-https-rewrites>

---

Revision #6

Created 27 December 2022 07:25:37 by Admin

Updated 2 September 2023 07:14:28 by Admin